

**From:** Ann DiDonato/R3/USEPA/US  
**Sent:** 1/13/2012 4:38:55 PM  
**To:** Richard Fetzer; "heston gerald" <heston.gerald@epa.gov>  
**CC:** "didonato ann" <didonato.ann@epa.gov>  
**Subject:** Re: New data, new names in the response to the 104 data from Cabot

Sorry, still in shock after being told I have to reinvent the wheel...

**From:** Richard Fetzer  
**Sent:** 01/13/2012 04:37 PM EST  
**To:** heston.gerald@epa.gov  
**Cc:** didonato.ann@epa.gov  
**Subject:** Fw: New data, new names in the response to the 104 data from Cabot

here you go boss. i still remember you :)  
we will revisit all in this category next week  
Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

----- Forwarded by Richard Fetzer/R3/USEPA/US on 01/13/2012 04:36 PM -----

**From:** Ann DiDonato/R3/USEPA/US  
**To:** KarenD Johnson/R3/USEPA/US@EPA  
**Cc:** Dawn Ioven/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Eric Johnson/R3/USEPA/US@EPA, Jon Capacasa/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Robert Helverson/R3/USEPA/US@EPA, Victoria Binetti/R3/USEPA/US@EPA  
**Date:** 01/13/2012 04:07 PM  
**Subject:** Re: New data, new names in the response to the 104 data from Cabot

Cabot is currently supplying water to [Ex. 6 - Personal Privacy] while they are crafting a treatment system for them. They are supplying both bottled water a WB -

Dawn had looked at the data for them in the table of the rest of the residents - earlier in the week - and noted that [Ex. 5 - Deliberative]

Ex. 5 - Deliberative		
Ex. 5 - Deliberative		Ex. 5 - Deliberative

Ann (Breslin) DiDonato  
On-Scene Coordinator  
US EPA Region III - Philadelphia  
Office 215-814-3311  
Cell 215-287-8157

**From:** KarenD Johnson/R3/USEPA/US  
**To:** Dawn Ioven/R3/USEPA/US@EPA  
**Cc:** Ann DiDonato/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Eric Johnson/R3/USEPA/US@EPA, Jon Capacasa/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Robert Helverson/R3/USEPA/US@EPA, Victoria Binetti/R3/USEPA/US@EPA  
**Date:** 01/13/2012 04:38 PM  
**Subject:** Re: New data, new names in the response to the 104 data from Cabot

Thanks Dawn! [Ex. 5 - Deliberative]

**Ex. 5 - Deliberative**

Ex. 5 - Deliberative

[Ex. 5 - Deliberative] Harrisburg and Meadville offices didn't recognize the name from their data bases so one of the guys from Williamsport who does more field work in that area is checking. Hopefully we'll track [ ] down, otherwise we'll have to call one of the others in the [ ] family to see...

Thanks for your quick review!

Karen D. Johnson, Chief

Ground Water & Enforcement Branch

**From:** Dawn Ioven/R3/USEPA/US  
**To:** KarenD Johnson/R3/USEPA/US  
**Cc:** Ann DiDonato/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Eric Johnson/R3/USEPA/US@EPA, Jon Capacasa/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Robert Helverson/R3/USEPA/US@EPA, Victoria Binetti/R3/USEPA/US@EPA  
**Date:** 01/13/2012 01:28 PM  
**Subject:** Re: New data, new names in the response to the 104 data from Cabot

Hi, Karen. I reviewed the data summarized in your e-mail below. Ex. 5 - Deliberative the Ex. 5 - Personal Privacy  
sample contained bis(2-chloroethyl)ether at 14 ug/L. Ex. 5 - Deliberative

# Ex. 5 - Deliberative

# Ex. 5 - Deliberative

Dawn

Dawn A. Ioven, toxicologist  
U.S. EPA - Region III  
(3HS41)  
1650 Arch street  
Philadelphia, PA 19103  
215.814.3320

**New data, new names in the response to the 104 data from Cabot**

**KarenD** to: Richard Fetzer, Ann DiDonato, Dawn Ioven, Eric Johnson,  
**Johnson** Dennis Carney  
Cc: Robert Helverson, Jon Capacasa, Victoria Binetti

01/13/2012  
11:06 AM

Going through the new data submitted and I found several additional chemicals identified and locations from the Test America data just received from well water samples-

Several new names with contaminant levels that Ex. 5 - Deliberative

Ex. 5 - Deliberative - new name not part of DEP order

Methane 34.50 mg/l 9/23/10

Methane 60.40 mg/l 7/22/11

Lithium 182.42 ug/l in 9/10

Lithium 380 ug/l in 7/11

Ex. 5 - Deliberative

Chlorodibromomethane 3.8 ug/l

Chloroform 7.8 ug/l

propane 13 ug/l

Bis (2-chloroethyl)ether 14 ug/l

Tentatively identified compounds:

**Ex. 5 - Deliberative**

## Ex. 5 - Deliberative

Ex. 6 - Personal Privacy

Bromodichloromethane 3.8 ug/l

Chlorodibromomethane 5.7 ug/l

Ex. 6 - Personal Privacy

Bis (2-ethylhexyl)phthalate 3.2 ug/l

Ex. 5 - Deliberative

tentatively identified compound

Ex. 6 - Personal Privacy

unknown location not part of DEP order and no address

High in indicators like Fe, Na

Uranium 234 3.14 pCi/L

Uranium 238 1.58

Barium 234 ug/l

Ex. 6 - Personal Privacy

Uranium 234- 3.29 pCi/L

Uranium 238 1.28 pCi/L

Ex. 6 - Personal Privacy

not one of the PADEP Order homes, but lives on Ex. 6 - Personal Privacy previously determined by DEP

not to be affected

First show of effect with higher Fe, Mg and Na

also Uranium 234 1.9 pCi/l

uranium 238 0.93 (J)

Ex. 6 - Personal Privacy

Uranium 234 2.62

Uranium 238 1.23 pCi/l

Ex. 6 - Personal Privacy

U234= 2.28 pCi/l

U238= 1.13

Ex. 6 - Personal Privacy

U234= 1.2 pCi/L

U238= 0.78 (J)

Karen D. Johnson, Chief

Ground Water & Enforcement Branch